

**RECEIVED
CENTRAL FAX CENTER****APR 13 2009**

S/N 10/585,295

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	YAMAOKA ET AL.	Examiner:	MARTIN
Serial No.:	10/585,295	Group Art Unit:	1657
Filed:	JULY 6, 2006	Docket No.:	10921.0412USWO
Title:	ANALYTICAL INSTRUMENT HAVING IMPROVED ARRANGEMENT OF REAGENT SECTION AND ANALYTICAL METHOD		

CERTIFICATE UNDER 37 CFR 1.6(d): I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on April 13, 2009.

By: 
Name: Gina M. Dahl

RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants elect Group I (claims 1 to 24) in response to the Restriction Requirement of March 11, 2009.

An early and favorable action on the merits is requested.

S/N 10/585,295

PATENT


Please charge any additional fees or credit any overpayment to Deposit Account

No. 50-3478.

Respectfully submitted,

Hamre, Schumann,
Mueller & Larson, P.C.
P.O. Box 2902
Minneapolis, MN 55402-0902
Phone: 612-455-3800

Date: April 13, 2009

By 
Name: Douglas P. Mueller
Reg. No. 30,300
Customer No. 52835